

Lab 11

4 April 2019

In this lab, you'll write some code that builds, and then traverses, binary trees. For simplicity, we'll write trees that only hold characters.

Tree nodes

First, create a struct `BinaryNode`, capable of representing any of the nodes in a binary tree. It will have three instance variables: a `char`, holding the value that is stored at a particular node, and two pointers to `BinaryNode` (one to the left child, if any, and one to the right child, if any).

By now you should be getting comfortable with writing your own structs and classes, so I won't recap those instructions here; look back at previous labs to help you remember how.

Examples

In a notebook, draw out the following three trees:

- `emptyTree`, which is simply set to `nullptr`
- `simple`, which points to a node containing 'Q' whose left child contains 'X' and right child contains 'Z' (and no further descendants)
- `tree5`, pointing to a node that is the root of a small tree that contains the five letters 'A' through 'E' and is relatively balanced (i.e. not just a line)

Near each tree, write out the C++ expression you will use to actually construct the corresponding tree. Start a unit test file whose `fixture` includes at least those examples. Note that functions that work on a `BinaryNode` pointer (that is, a `shared_ptr<BinaryNode>` should, in general, work on `emptyTree`, since it's a perfectly valid example of a (empty) tree.

Functions

In a separate file `BinaryTreeFunctions.cpp`, write three functions `prePrint`, `postPrint`, and `inPrint`, each of which takes a `shared_ptr<const BinaryNode>` argument and an `ostream&` argument, and prints the given tree to the given stream. The three functions should each recursively print the tree contents (if any) to the stream, left-to-right, in the correct traversal order.

Write the functions' prototypes in `BinaryTreeFunctions.h`, and include that in your `.u` file. When you test the traversals, use an `ostringstream` to check the output (as we did with `Maze` and `Card`).

Two other functions

Write and test the following recursive functions also:

- `count` counts the total number of nodes in the subtree rooted at a given `shared_ptr<const BinaryNode>` (including the node itself, if any).
- `contains` determines whether the subtree rooted at a given `shared_ptr<const BinaryNode>` includes a given character. (Note that it does not rely on nodes being in any particular order!)

Handing in

Hand in your work electronically as `lab11`, by 4pm on Wednesday.

RUBRIC

- 1 Present in lab with preview stuff done
- 1 Readme with all required information
- Class and examples**
- 1 General struct definition, instance variables ♣
- 1 At least one `BinaryNode` correctly created ♣
- 1 Specified trees created
- Function definitions and tests**
- 1 All five required functions have correct headers and good test cases (fail ok) ♣
- 1 One recursive traversal is implemented correctly ♣
- 1 All three traversals are implemented correctly ♣
- 1 `count` ♣
- 1 `contains` ♣